



Processed and stabilized bovine serum for use as a serum osmolality control

Contents: 6, 1 mL vials
(2 each High, Normal, and Low)
Refrigerate - Do not freeze

OSM. RANGE **H**:

OSM. RANGE **N**:

OSM. RANGE **L**:

LOT NUMBER:

See individual vial label for expiration date

Manufactured for:
Wescor, Inc.
459 South Main Street, Logan, Utah 84321
Made in USA

L165A119

T 20	OSMOLALITY CONTROL REFERENCE	OSMOLALITÄTS-KONTROLLREFERENZ
T 20	Processed and stabilized bovine serum for use as a serum osmolality control.	Aufbereitetes und stabilisiertes Rinderserum; zur Verwendung als Kontrolle der Serum-Osmolalität
T 20	Contents: 6, 1 mL vials (2 each High, Normal, and Low)	Inhalt: 6 x 1 ml Fläschchen (je 2 High, Normal und Low)
T 20	Refrigerate – Do not freeze	Kühl lagern – nicht einfrieren
T 20	OSM. RANGE H : OSM. RANGE N : OSM. RANGE L : LOT NUMBER:	OSM.-BEREICH H : OSM.-BEREICH N : OSM.-BEREICH L : CHARGEN-NR.:
T 20	See individual vial label for expiration date	Verfalldatum siehe Fläschchenaufkleber
T 20	Manufactured for:	Hergestellt für: